

Discover why our doors are so special











Let's make an entrance

RK Door Systems is a family business that specialises in the fabrication and supply of highly insulated aluminium entrance doors that offer exceptional performance combined with contemporary designs.

Using precision German technology we have developed a selection of contemporary entrance doors that offer extremely low maintenance with wipe clean surfaces and through their rigid construction will not warp or bow.

Each design is available in a range of specifications and finishes and combined with their modern and unique designs they will make a stunning entrance to any building.

> "Design is not just what it looks like and feels like. Design is how it works"

> > STEVE JOBS Founder of Apple





Doors to make the **best first impression**

	PAS24:2016 certified & Secured By Design accredited
	10 Year Warranty
	Fully flush profile internally and externally
	Single frame construction (doors with sidelights and fanlights also constructed in one single frame)
	Bespoke and flexible designs with hinged doors up 1300 x 3000mm high and pivot doors up to 2000 x 3500mm high
	Pivot entrance doors available in any of our door designs
	Vast range of colours and finishes including timber, ceramic and specialist metallic options
	Amazing thermal performance with U values from 0.95 down to 0.67
	Finger scan and smart home operation available
	Laminated security glass as standard in triple and quadruple units
	Extensive hardware options available including 180 degree concealed hinges and built in LED lighting
	Hidden fixing system with concealed drainage and wipe down surfaces for low maintenance and clean look
	Custom design service available to create a door unique to you
	Five star Google reviews
	Online door configurator to create your own door design





ENTRÉ RANGE Offering exceptional value for money.

This selection of unique entrance doors offers style and performance and have been specifically designed to provide exceptional value for money. The doors comprise many of the same quality components as our Excellence range and have a flush interior and exterior. In addition, all Entre doors are Secured by Design Certified, European security level RC2 and RC3 and UK PAS 24 Certified, all of which delivers high levels of protection from unwanted intruders and the experienced burglar.

The overall specification of handle, locking system and colours have been carefully selected to maximise savings. Please contact us for further information and for details of matching sidelights, fanlights and optional extras.





Flush face to the interior and exterior

Entré Specification





RK 1100

RK 1400



RK 1200



RK 1300

You can upgrade your door, including colours and finishes, hinges, handles, smart entry systems, add sidelights and much more, contact us for more information and



prices.



RK 1500



RK 1600



EXCELLENCE RANGE Limitless possibilities.

Our Excellence range offers some of the highest performing doors in Europe and we have an amazing collection of designs which are available in a range of specifications & finishes. All of our doors are handmade so you really can create a door that is unique to you.

Our online door designer allows you to create and view your new door and because our doors are handmade, we also offer a custom design service if you have a bespoke design in mind.

The doors have a flush interior and exterior and have PAS24:2016 & Secured By Design certification as standard as do all our doors.



Excellence Specification



You can upgrade your door, including colours and finishes, hinges, handles, smart entry systems, add sidelights and much more, contact us for more information and prices.





Flush face to the interior and exterior



IMPRESS YOUR GUESTS

PIVOT DOORS The ultimate entrance.

This prestigious opening style is available for all our door designs, both standard and custom, with the added benefit of grand door sizes up to 2000mm wide x 3500mm high*, in a single panel. In addition, sidelights and fanlights are available within a single frame construction to create the ultimate entrance.

Our Pivot range use our Exclusive profile manufactured from premium German components and benefit from our hallmark flush door and frame construction system. These doors achieve a U Value of 0.72W/sq.mK and have full PAS 24:2016 and Secured by Design enhanced security certification as standard, offering high levels of protection from the elements and unwanted intruders.

Our pivot doors have been rigorously tested both in the UK and overseas and developed with the specific aim of providing the best performing pivot door on the market. Security, thermal efficiency and weather performance all being critical elements in the product design.





Pivot Specification

$\overrightarrow{\Rightarrow}$	U-Value	0,72 W/m²K
*	Clazing	69mm triple glazed
	Panel thickness	75mm
	Max size	2000w x 3500mm h
\bigcirc	Security	Secured by Design PAS 24: 2016 RC2 & RC3
	Hinges	Movable pivot
	Colours	16 standard colours, (any RAL colour, wood, ceramic, glass or special metal coatings available). Fine structure finish available.

You can upgrade your door, including colours and finishes, smart entry systems, handles, add sidelights and much more, contact us for more information and prices.





GLASS line







րտորություն

RK 3000



- --

RK 3010



RK 3120



RK 3030





RK 3040



RK 3050







RK 3350

RK 3360















RK 3330

12

SMART line







RK 4210







RK 4090



RK 4115



RK 4120

RK 4200





















Design your door online

...with endless design possibilities, you can create your bespoke entrance....







RK 4320



FUTURE line





RK 5000

RK 5020



RK 5220



RK 5230

RK 5040



RK 5050





RK 5060







RK 5300











RK 5260



RK 5280

RK 5090

RK 5290



RK 5310



RK 5070

RK 5080



14

ART line













RK 6020

RK 6070



RK 6030









RK 6080





RK 7000













CLASSIC line

RK 110































































RK 3500



RK 3550

RK 3560











100 100

RK 3660



RK 3580







RK 5210

The Rolls Royce of front doors... *****

l've never owned a Rolls Royce, and are not likely to, but I now know how it must feel to open and shut the door on one.

. The RK door we have purchased from their Entre range oozes class & quality.

Mr. M Harris - London



ENTRÉ range











RK 1400







RK 1800



NET line







NET 3





NEW Superior basic equipment EXCLUSIVE+ (optional)



ES 2450

Concealed door

hinges (2 pieces)





ES 2620 or ES 2680 2-colour inside and outside in RK standard colours freely selectable (e.g. Stainless steel inner handle inside RAL 9016 matt and outside RAL 7016 microstructure)

High standard equipment

All our aluminium doors offer individual designs, benefitting from high performance, security, and build quality with following standard specification:

•	Highly insulated RK Aluminium system front door.	1
•	16 colours in matt or fine structure finish.	2
•	High performance insulated core with laminated safety and heat protection triple glazing (warm edge).	3
•	3 point automatic stainless steel lock with integrated and adjustable lock receiver.	4
•	Stainless steel handrail 600mm long with straight or angled fixings.	5
•	Two-piece flag hinge (Standard, Modern) Three-piece roll band (Exclusive, Premium, Prestige)	
	Pivot hinge (Pivot)	6
•	BKS profile security cylinder with 5 keys included.	7
•	Standard dimensions up to 1150 x 2250mm (larger sizes available subject to surcharge).	8









ES 2210 BKS safety profile cylinder incl. 5 keys

ES 2602 Stainless steel round rosette flush (outside)





ES 40.600 Handrail with straight fixing, polished stainless steel- matt

ES 2641 Inner handle on long shield with return spring RAL 9016 or EV1 silver

ES 2420 Door hinge (two-piece) RAL 9016 or EV1 silver

ES 1100 GU Secury Automatic three- fold lock, stainless steel

20



The heart of the door

Our exclusive profile boasts a 75mm fully flush frame and sash with a highly insulated aluminium panel which gives fantastic thermal performance and excellent security levels. Our aluminium is 3mm thick which allows us to be able to input grooves and flush stainless steel strips into the aluminium without compromising on quality.

•	Low level, thermally broken access threshold (Disabled access compliant)	1
•	High performance weather seal and connector	2
•	Frame edge profile designed for concealed fixing strap system	3
•	High performance insulated core	4
•	3mm thick aluminium outer face	5
•	Warm edge insulated spacer bar	6
•	Triple glass safety and low energy insulated glazing	7
•	High performance insulated thermal break	8
•		-

Triple glazing - Ug – 0.7 W/m²K	Quadruple glazing – Ug – 0.3 W/m²
(Black warm edge spacer bar)	(Black warm edge spacer bar)

Outside: laminated safety glass 6mm (VSG) Middle: sandblasted glass / stained glass / float coated glass Inside: laminated safety glass 6mm (VSG)

Profile system

- RK Entre
- RK Standard
- RK Modern
- RK Exclusive
- RK Pivot

ז²K

Outside: laminated safety glass 6mm (VSG) Middle I: sandblasted glass / stained glass / float coated glass Middle II: float coated glass Inside: laminated safety glass 6mm (VSG)

Profile system

- RK Premium
- RK Prestige

Design your door online

...with endless design possibilities, you can create your bespoke entrance....



RK STANDARD

RK MODERN

Profile systems







RK Standard Classic I



RK Modern



RK Modern Classic I

₿	U _a Permeability	0,95 W/m²K	0,92 W/m²K
*****	Glass construction	Outside: laminated safety glass 6mm (VSG) Middle: sandblasted / stained / float coated Inside: laminated safety glass 6mm (VSG)	Outside: laminated safety glass 6mm (VSG) Middle: sandblasted / stained / float coated Inside: laminated safety glass 6mm (VSG)
	Panel thickness	44mm	44mm
	Profiles thickness (frame / door leaf)	RK Standard: 75mm / 75mm RK Standard Classic I: 85mm / 75mm	RK Modern: 75mm / 75mm RK Modern Classic I: 85mm / 75mm
\bigcirc	Safety	Secured by Design PAS24:2016	Secured by Design PAS24:2016
Ę	Hinges	ES 2420 Flag hinge (standard) ES 2400 Rollband hinge ES 2450 Concealed door hinge 90° ES 2460 Concealed door hinge 160°	ES 2420 Flag hinge (standard) ES 2400 Rollband hinge ES 2450 Concealed door hinge 90° ES 2460 Concealed door hinge 160°
	Type of opening	RK Standard: inwards / outwards RK Standard Classic I: inwards	RK Modern: inwards / outwards RK Modern Classic I: inwards

Our doors vary with different frames and insulation cores.

Depending on the door profile, their thermal performance also changes.

Our UD values were calculated according to DIN EN ISO10077-1, based on a door dimension of 1150 x 2250mm.

 $\rightarrow \square \rightarrow$

RK EXCLUSIVE



RK Exclusive



RK Exclusive Classic I



RK Exclusive Classic II

0,72 W/m Outside: I

Middle: sa Inside: lan

RK Exclus RK Exclus RK Exclus

Secured b PAS24:201

75mm

ES 2420 F ES 2400 F ES 2450 C ES 2460 C

RK Exclusi RK Exclusive Classic I: inwards RK Exclusive Classic II: inwards

RK PREMIUM



RK Premium



RK Premium Classic I



DK Dromium Classic II

RK ENTRE

65mm

RK Entre



RK Exclusive

RK PIVOT

lusive Classic II	RK Premium Classic II				
/m²K	0,67 W/m²K	0,90 W/m²K	0,72 W/m²K		
e: laminated safety glass 6mm (VSG) : sandblasted / stained / float coated laminated safety glass 6mm (VSG)	Outside: laminated safety glass 6mm (VSG) Middle I: sandblasted / stained / float coated Middle II: float coated glass Inside: laminated safety glass 6mm (VSG)	Outside: laminated safety glass 6mm (VSG) Middle: sandblasted / stained / float coated Inside: laminated safety glass 6mm (VSG)	Outside: laminated safety glass 6mm (VSG) Middle: sandblasted / stained / float coated Inside: laminated safety glass 6mm (VSG)		
	94mm	65mm	75mm		
lusive: 75mm / 75mm Iusive Classic I: 85mm / 75mm Iusive Classic II: 95mm / 75mm	RK Premium: 75mm / 94mm RK Premium Classic I: 85mm / 94mm RK Premium Classic II: 95mm / 94mm	RK Entre: 65mm	RK Exclusive: 75mm / 75mm		
d by Design 2016	Secured by Design PAS24:2016	Secured by Design PAS24:2016	Secured by Design PAS24:2016		
0 Flag hinge 0 Rollband hinge (standard) 0 Concealed door hinge 90° 0 Concealed door hinge 160°	ES 2420 Flag hinge ES 2400 Rollband hinge (standard) ES 2460 Concealed door hinge 160º	ES 2400 Rollband hinge (standard)	RK Pivot hinge		
lusive: inwards / outwards Iusive Classic I: inwards	RK Premium: inwards	RK Entre: inwards / outwards	RK Exclusive: inwards / outwards		

COLOURS & FINISHES

RAL 9016	RAL 9010	RAL 9006	RAL 9007	RAL 7001	RAL 3004	RAL 6005	RAL 7015
Traffic White	Pure White	White Aluminium	Grey Aluminium	Silver Grey	Purple Red	Moss Green	Slate Grey
Gloss Matt Microstructure	Matt Microstructure	Matt Microstructure	Matt Microstructure	Matt Microstructure	Matt Microstructure	Matt Microstructure	Matt Microstructure
Sheffield Oak Light	Sheffield Oak Grey	Winchester	Natural Oak	Golden Oak	Sierra	Golden Oak	Walnut
Wood effect - foil F4563081	Wood effect - foil F4363086	Wood effect - foil 49240	Wood effect - foil 3118076-168	Wood effect - foil 2178001-167	HD Wood effect	HD Wood effect	HD Wood effect
Oxide Moro	Oxide Nero	Ossido Bruno	Ossido Nero	Naturali Nero	Concrete imitation	Graphite Shadow	Rust imitation
Ceramics	Ceramics	Ceramics	Ceramics	Ceramics	Coating	Coating	Coating

Design your door online

...with endless design possibilities, you can create your bespoke entrance....





HANDRAILS



Colours of handrails





HANDRAILS



Colours of handrails





Time for the final touch...

Surface colours



ES 2620

Inner handle on long plate with return springstainless steel



ES 2690

Inner handle on round rosette with return spring- stainless steel





return spring- stainless steel

Inner handle on oval rosette with



ES 2680



ES 2660 Inner handle on oval rosette polished stainless steel / satined stainless steel ES 2675 Inner handle on oval rosette- stainless steel ES 2630 Inner handle on square rosette- stainless steel ES 2695 Inner handle on hidden rosette with return spring- stainless steel

ES 2696 Inner handle on hidden rosette with return spring- stainless steel

















Finger print entry...

ES 2000 / ES 2005 / ES 2006 Finger scanner ekey INTEGRA 2.1



ES 2010 / ES 2016 Finger scanner ekey ARTE



ES 7010 House number plate 1 round

ES 7020 House number plate 1 oval













ES 2420

Two-piece flag hinge, series 4 colours: white, EV1 silver, Alunox, RAL

ES 2400

Three-piece roll band colours: white, EV1 silver, Alunox, RAL

ES 2100

Electric door opener with daytime release **ES 2110**Electric door opener without daytime release

ES 2320

Overhead, hidden door closer with slide rail



ES 2460 PREMIUM hinge VL stainless steel, max. 160° opening-hidden











ES 2330 Opening limiter concealed 110°





Electronic peephole

ES 4035 LCD Monitor flush ES 4030 LCD Monitor surface mounted



ES 3400

Alunox scratch protection flush- embedded outside ES 3200

ES 3300 Alunox scratch protection flush- Alunox scratch protection flush- Alunox scratch protection flushembedded outside

embedded outside

ES 3510

Alunox scratch protection flush with built finger scanner ekey ARTE- embedded outside

ES 2610

Stainless steel safety rosette with cylinder protection







Skirting plate Alunox- flush

ES 3020

Skirting plate Alunox- flush

ES 3021



Lock BKS Janus safety profile cylinder with security

ES 3500

embedded outside

Skirting plate Alunox- 3D $\mathbf{0} \mathbf{0} \mathbf{0}$

ES 3040

LED colours: cold white, warm white, blue, green, red.





ES 2615 Stainless steel safety rosette with cylinder protection



ES 2211 BKS safety profile cylinder with thumbturn



ES 2217





ES 2200



ES 2700 Hinge side securing-hold bolts (2 pieces)







ACCESSORIES



Automatic latchbolt

Simply allow the door to fall shut: as soon as the door is shut, the automatic latchbolts automatically throw 20mm and are secured to prevent them being forced back- the door is locked when just pulled shut. These locking systems can be opened at any time via the lever handle from the inside and by key from the outside.

Massive bolt (MR)

The GU-SECURY MR system provides you with a multi-point lock which is protected from being sawn through or forced back- with two or four MR bolts depending on the requirements.



Automatic double latchbolt

The particulary robust, self-locking system GU-SECURY Automatic 4 e.g. for house and apartment doors. Two MR bolts and two automatic latchbolts automatically throw 20mm when the door is pulled shut and are secured against being forced back.





Safe -T-catch activated from the inside From the inside activated thumbturn

can be deactivate outside using the key



Double bolt (DR)

The GU-SECURY DR multi- point lock rolls the benefits of the SH (Hook bolt) and MR bolt into one double bolt. The lock geometry allows the same frame locking elements used with the GU-SE-CURY Automatic 4 system (with Automatic double latchbolt) to be used.

GU-SECURY

GU-SECURY Automatic safety:

Just put the door shut - automatically without closing -so comes into force the multi-point lock with 20mm throw. Two latching deadbolts will be automatically bolt and blocked from being pushed back. Just today comes a major technical advance in the perfect safety features of entrance doors.



Do you want your front door to be freely accessible by day? The GU-SECURY Automatic TE system enables you to manually override the automatic locking function so the door is released during the day.

ES 1100

GU-SECURY Automatic three- fold lock, stainless steel

ES 1150

GU-SECURY Automatic three- fold lock, with day release function, stainless steel

ES 1200

GU-SECURY Automatic 3 With A-Opener three-fold lock, stainless steel

ES 1000

GU-SECURY MR2 three- fold lock, stainless steel

ES 1400

stainless steel

CU-SECURY Automatic 3 with the safe T-catch TSH three-fold lock, stainless steel **ES 1500** GU-SECURY MR2 With the safe T-catch TSH three- fold lock, thumbturn, colours: white, EVI silver,

GU-SECURY Automatic 4 five- fold lock, stainless steel **ES 1310** GU-SECURY Automatic 4

lock, stainless steel

with A-Opener five- fold

ES 1300

ES 1350 GU

GU-SECURY DR4 five- fold lock, stainless steel **ES 1700** GU-SECURY Automatic 5 five- fold lock, stainless steel

GU-SECURY Automatic 5

with A-Opener five- fold

lock, stainless steel

ES 1750

ES 1900

GU-SECURY Automatic 6 seven- fold lock, stainless steel **ES 1910** GU-SECURY Automatic 6 with A- Opener seven- fold lock, stainless steel

ES 1950

Roto DoorSafe Eneo C/CC total electromechanical locking and unlocking five- fold lock, stainless steel



APPLICATIONS GROOVES



Grooves 5mm

Grooves 10mm

U - type grooves

V - type grooves



GLASS

Step glass



Get to know the solution that attracts the attention of the most demanding customers. Elegant, pure and slender pane of glass ideally integrated within the whole. Uncompromising perfection and flawless smoothness.

Innovation in which you will take delight in.

Master- Carre transparent glass



Chinchilla transparent glass



Mirror







Antisol / Stopsol black



Mirror



Satinato frosted glass



Antisol / Stopsol grey



Mirror brown



Master- Ligne transparent glass



Antisol / Stopsol brown



Transparent glass





SECURE DOORS

Using the same German profile and components, all our doors are manufactured in the same purpose built factory and all our doors have PAS24: 2016 and Secured By Design accreditation as standard.

We know we have excellent products to shout about and Secured by Design provides us with a coveted endorsement from a security perspective and highly respected industry body. Unlike many companies, we wanted our entire suite, not just one or two doors or an item, to be accredited by Secured by Design to show our customers that all our doors are secure and that when we do something, we do it properly and thoroughly.

The importance of third party certification and testing.

Third party certification is where an independent body reviews the manufacturing process of a product and independently determines that the product manufactured complies with specific standards for safety, quality and performance.

PAS 24: 2016



PAS 24: 2016 - What is it?

PAS24: 2016 was produced by British Standards Institute (BSI) as a method of assessing the security performance requirements of external doors and window types. The levels and methods of attack experienced in the UK and associated with an opportunist burglar are specified. The burglary attempts covered by the standard are those which avoid noise and unnecessary risk. The time spent attempting to gain entry is limited to replicate the time pressures of an opportunist burglar.

- Security hardware and cylinder test
- Manipulation test
- Manual attacks Infill manual test
- Infill mechanical load test
- Manual cutting test
- Mechanical loading test
- Manual check test
- Impact testing

Secured by Design



Secured By Design – What is it?

Secured by Design is an initiative developed and owned by the Association of Chief Police Officers (ACPO). The purpose of SBD is to incorporate crime prevention into the design of fenestration products and new housing developments (Brooke, 2013). 91% of all crime recorded in 1987 was property related.

Secured By Design was created in 1989 the scheme is enforced by a team of around 200 Crime Prevention Design Advisers (CPDA) or Architectural Liaison Officer (ALOs) who operate and contribute to it on a daily basis.

SBD is split into two main sections. Part one is concerned with the aspects of external spaces on a building development such as lighting, parking and surveillance. Part two focuses on the security, weather performance, strength and the durability of the windows and door sets.

Secured by Design, does it work?

Research highlights that SBD housing developments suffer up to 75% less burglary when they are compared to a non SBD development; this is compelling evidence that following the SBD guidelines will cut down the damage and cost caused by such crime

Teedon et al (2009) findings of a new development in the Glasgow housing association show total house breaking crimes had decreased by 26% in the SBD area, and that attempted house breaking had decreased by 59%.

The requirements of Secured by Design

SBD specifies that windows and doors manufacturers applying for SBD membership must be certified against a certification scheme operated by a UKAS approved third party certification body, involving factory production control audits. The current SBD requirements are more stringent than ever before, with windows and doors subjected to the following regime.

- Third Party Certification for fabricator. A Factory production control (FPC) audit will be used to establish the initial and ongoing ability of the manufacturer to fabricate products covered by a WinMark certification Scheme.
- PAS24:2012 Enhanced security testing
- BS 6375-1 Weather performance testing
- BS 6375-2 Strength and durability testing
- BS 6375-3 Additional performance characteristics testing



ARCHITECTS RESOURCES

We all admire modern entrances and to assist Architects and other professionals specify our contemporary entrance doors, RK Door Systems are listed on the RIBA's product selector, NBS plus and NBS National BIM Library.

Our team can also advise on the most appropriate door system depending on the property or development, from residential to commercial.

Please feel free to contact us for more information.



RIBA Product Selector

For architects and construction professionals. Download brochures, detailed product specs, including NBSPlus and BIM specifications and more.



NBS National BIM Library

You can specify RK Door Systems in your plans. Browse our comprehensive NBS Product Specifications for information on all our door profiles and models.



NBS Plus Library

NBS specification products created by NBS for RK DOOR SYSTEMS LTD. Each product clause is authored in NBS format and is intended for inclusion in project specifications.



Design your door online

...with endless design possibilities, you can create your bespoke entrance...



Let's make an entrance



Find out more & design your new front door online

www.rkdoorsystems.co.uk